VRX848RVD

State of the art multimedia station

RADIO

- RDS-Tuner (FM/MW/LW) with Radio text function
- DSP tuner (Variable band width)
- 24 stations memory (18FM / 6AM)
- Auto store, Preset scan, Seek manual (up & down)

MONITOR

- 7 inch LCD / TFT Type
- 16:9 wide format
- Touch Panel control
- 336.960 pixel
- 480 x 234 dot
- Anti-reflex surface
- Full motorised screen loading
- Angle adjustable

CONTROL

- CeNET compatibility
- iPod control
- Bluetooth BLT433 unit compatible
- DTS/AC3 control
- CD changer
- DVD-changer control
- DAB digital radio tuner
- TV tuner
- Bluetooth BLT433 unit compatible
- Navigation compatibility
  NAX943DV with remote control & touch panel
  NAX9500E with remote control

AUDIO

- DVD player
- DVD video / video CD / MP3 playback
- Region 2
- DVD± R / RW
- 6ch RCA line out
- 3 band Parametric EQ

OTHER

- 1 DIN unit without blackbox
- Sub-display (13 seg x 8)
- 2 RCA visual input CeNET TV tuner & DVD changer
- RGB input for navigation system
- Digital output for 5.1 processor
- Telephone input (TEL-002)
- Red / Green illumination
- Dimmer with sensor
- ISO connector
- Remote control supplied
- Detachable control panel

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

VRX743R

High functionality multimedia station

RADIO
- RDS-Tuner (FM/MW/LW) with Radio text function
- DSP tuner (Variable band width)
- 24 stations memory (18FM / 6AM)
- Auto store, Preset scan, Seek manual (up & down)

MONITOR
- 7 inch LCD / TFT Type
- 16:9 wide format
- Touch Panel control
- 336.960 pixel
- 480 x 234 dot
- Anti-reflex surface
- Full motorised screen loading
- Angle adjustable

CONTROL
- CeNET compatibility
- iPod control
- Blutooth BLT433 unit compatible
- DTS/AC3 control
- CD changer
- DVD-changer control
- DAB digital radio tuner
- TV tuner
- Navigation compatibility
  NAX943DV with remote control & touch panel
  NAX9500E with remote control

AUDIO
- 6ch RCA line out
- 3 band Parametric EQ
- 4 x 51 W high power

OTHER
- 1 DIN unit without blackbox
- Sub-display (13 seg x 8)
- 2ch RCA visual input CeNET TV tuner & DVD changer
- RGB input for navigation system
- Telephone input (TEL-002)
- Red / Green illumination
- Dimmer with sensor
- ISO connector
- Remote control
- Detachable control panel

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

clarion
CAR AUDIO & BEYOND

VRX653R

High functionality multimedia station

RADIO

- RDS-Tuner (FM/MW/LW)
- 24 stations memory (18FM / 6AM)
- Auto store, Preset scan, Seek manual (up & down)

MONITOR

- 6,5 inch LCD / TFT Type
- 16:9 wide format
- **336.960 pixels**
- **480 x 234 dot**
- Anti-reflex surface
- Semi motorised slide out

CONTROL

- CeNET compatibility
- iPod control
- CD changer
- DVD-changer control
- DAB digital radio tuner
- TV tuner
- Navigation compatibility
  NAX943DV with remote control
  NAX9500E with remote control

AUDIO

- 4ch RCA line out
- Z-ENHANCER equalizer
- 4 x 47 W high power

OTHER

- 1 DIN unit without blackbox
- Sub-display (13 seg x 8)
- 2ch RCA visual input CeNET TV tuner & DVD changer
- RGB input for navigation system
- Red illumination
- Black metalic excutcheon
- ISO connector
- Remote control supplied
- Full detachable control panel

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com

DXZ958RMC

Top-class sound quality

RADIO / CD / MC

- **Music Catcher** for recording audio CD's
  128MB built in memory with 2 recording mode
  - HQ (High Quality) mode: about 260 minutes
  - LP (Long Play) mode: about 360 minutes
  Easy file management (Recording, Erasing,...)
- RDS-Tuner (FM/MW/LW) with Radio text function
- DSP tuner (Variable band width)
- 24 stations memory (18FM / 6AM)
- Auto store, Preset scan, Seek manual (up & down)
- CD mechanism
- CD-R / CD-RW play back
- MP3 & WMA compatible
- CD Text / ID-3 tag compatible / Playlist mode
- Title input (50 title / 10 text)

GENERAL

- **A**ctive **M**atri**X** control
- Touch panel application
- **Stainless steel** control panel
- Motorised sloping console
- Rotary volume control
- **4.2 inch TFT display**
- 256 full colour / Full dot (400x96dot)
- Screen saver, Wallpaper & Message information
- Contrast adjustment
- Automatic dimmer with sensor
- Auto volume (Speed Dependent Volume Control)
- AUX input (2ch with sense adjustment)
- Cellular audio input
- Remote control included (RCB-172)
- OEM steering remote control input
  (mini jack on chassis)
- Blinking LED

AUDIO

- 6ch RCA line out
  Pro & Standart mode (F2ch+R2ch+SW2ch)
  Dolby Prologic II mode (F2ch+R2ch+SW1ch+Center-sp1ch)
  Multi Crossover mode (Hi2ch+Mid2ch+SW2ch)
- 4 volts output
- High Quality DAC 24 bit
- AC Processor IV
- **Time Alignment** (6ch x 500cm ⏩2,2cm step)
- Speaker gain (Hi L/R, Mid L/R, SW –20dB~0dB)
- **A**nti **D**istortion **F**ilter by DSP
- **V**irtual **S**pace **E**nhancer
- 3 band Parametric EQ (f = 20Hz ~ 20kHz)
- **Dolby Prologic II**
- Amp Canceller
- **3 ways digital crossover**
- **MOS-FET** 4 x 53 W high power output

Ce-NET Control

- iPod control
- Bluetooth BLT433 unit compatible
- CD changer
- TEL Link: Control telephone handsfree
  (TEL-002 or AUX input)
- TV tuner
- DVD changer
- DAB digital radio tuner

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

DXZ858RMP

AMX control with TFT display

RADIO / CD

- RDS-Tuner (FM/MW/LW) with Radio text function
- DSP tuner (Variable band width)
- 24 stations memory (18FM / 6AM)
- Auto store, Preset scan, Seek manual (up & down)
- CD mechanism
- CD-R / CD-RW play back
- MP3 & WMA compatible
- CD Text / ID-3 tag compatible / Playlist mode
- Title input (50 title / 10 text)

AUDIO

- 6ch RCA line out
  F2ch + R2ch + SW2ch
- 4 volts output
- High Quality DAC 24 bit
- **A**nti **D**istortion **F**ilter by DSP
- 2 band Parametric EQ
- Magna BASS EX (50Hz +10dB boost)
- Amp Canceller
- Subwoofer Low Pass Filter (50/80/120Hz/Through)
- **MOS-FET** 4 x 53 W high power output

GENERAL

- **A**ctive **M**atri**X** control
- Touch panel application
- **Stainless steel** control panel
- Motorised sloping console
- Rotary volume control
- **4.2 inch TFT display**
- 256 full colour / Full dot (400x96dot)
- Screen saver, Wallpaper & Message information
- Contrast adjustment
- Automatic dimmer with sensor
- Auto volume (Speed Dependent Volume Control)
- AUX input (2ch with sense adjustment)
- Cellular audio input
- Remote control included (RCB-172)
- OEM steering remote control input
  (mini jack on chassis)
- Blinking LED

Ce-NET Control

- iPod control
- Bluetooth BLT433 unit compatible
- CD changer
- TEL Link: Control telephone handsfree
  (TEL-002 or AUX input)
- TV tuner
- DVD changer
- DAB digital radio tuner

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

DXZ758RMC

High resolution display and Music Catcher function

RADIO / CD / MC

- Music Catcher for recording audio CD's
  128MB built in memory with 2 recording mode
  - HQ (High Quality) mode: about 260 minutes
  - LP (Long Play) mode: about 360 minutes
- Easy file management (Recording, Erasing,...)
- RDS-Tuner (FM/MW/LW)
- 24 stations memory (18FM / 6AM)
- Auto store, Preset scan, Seek manual (up & down)
- CD mechanism
- CD-R / CD-RW play back
- MP3 & WMA compatible
- CD Text / ID-3 tag compatible / Playlist mode
- Title input (50 title / 10 text)

GENERAL

- **Aluminum** control panel
- Motorised sloping console
- Rotary volume control
- Smart control stick for easy use
- Full dot LCD display (160x48dot)
- 728 variable colour (display + keys)
- Screen saver, Wallpaper , Spectre analyser
- Message information (30 text)
- Contrast adjustment
- Automatic dimmer with sensor
- Auto volume (Speed Dependent Volume Control)
- AUX input (2ch with sense adjustment)
- Cellular audio input
- Remote control included (RCB-172)
- OEM steering remote control input
  (mini jack on chassis)
- Blinking LED

AUDIO

- 6ch RCA line out
  F2ch + R2ch + SW2ch
- **A**nti **D**istortion **F**ilter (analogue chip)
- 2 band Parametric EQ
- Magna BASS EX (50Hz +10dB boost)
- Amp Canceller
- Subwoofer Low Pass Filter (50/80/120Hz/Through)
- **MOS-FET** 4 x 53 W high power output

Ce-NET Control

- iPod control
- Bluetooth BLT433 unit compatible
- CD changer
- TEL Link: Control telephone handsfree
  (TEL-002 or AUX input)
- TV tuner
- DVD changer
- DAB digital radio tuner

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

Clarion
CAR AUDIO & BEYOND

VXZ758R

DVD video receiver with built in 5.1 channel processor

RADIO / CD / MC

- RDS-Tuner (FM/MW/LW
- 24 stations memory (18FM / 6AM)
- Auto store, Preset scan, Seek manual (up & down)
- DVD mechanism
- DVD video / video CD compatible
- Region 2 compatibility
- MP3 & WMA compatible

AUDIO

- 6ch RCA line out
  F2ch + R2ch + SW + Center
- **DTS & Dolby Digital processor**
- High Quality DAC 24 bit
- Z-ENHANCER PLUS (2 band Parametric EQ)
- Magna BASS EX (50Hz +10dB boost)
- Amp Canceller
- MOS-FET 4 x 52 W high power output

GENERAL

- **Aluminum** plated panel
- Rotary volume control
- Part dot display (159x7dot)
- Screen saver
- Message information (30 text)
- Contrast adjustment
- Dimmer
- AUX input (2ch with sense adjustment)
- 2 video ouput
- Cellular audio input
- Remote control included (RCB-171)
- OEM steering remote control input
  (mini jack on chassis)

Ce-NET Control

- iPod control
- Bluetooth BLT433 unit compatible
- CD changer
- TEL Link: Control telephone handsfree
  (TEL-002 or AUX input)
- TV tuner
- DAB digital radio tuner

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com

DXZ658RMP

High resolution display & smart control

RADIO / CD / MC

- RDS-Tuner (FM/MW/LW)
- 24 stations memory (18FM / 6AM)
- Auto store, Preset scan, Seek manual (up & down)
- CD mechanism
- CD-R / CD-RW play back
- MP3 & WMA compatible
- CD Text / ID-3 tag compatible / Playlist mode
- Title input (50 title / 10 text)

AUDIO

- 6ch RCA line out
  F2ch + R2ch + SW2ch
- Z-ENHANCER PLUS (2 band Parametric EQ)
- Magna BASS EX (50Hz +10dB boost)
- Amp Canceller
- Subwoofer Low Pass Filter (50/80/120Hz/Through)
- **MOS-FET** 4 x 53 W high power output

GENERAL

- **Aluminum** control panel
- Motorised sloping console
- Pop-up Rotary volume control
- Smart control stick for easy use
- Full dot LCD display (160x48dot)
- 728 variable colour (display + keys)
- Screen saver, Wallpaper , Spectre analyser
- Message information (30 text)
- Contrast adjustment
- Automatic dimmer with sensor
- Auto volume (Speed Dependent Volume Control)
- AUX input (2ch with sense adjustment)
- Cellular audio input
- Remote control included (RCB-172)
- OEM steering remote control input
  (mini jack on chassis)
- Blinking LED

Ce-NET Control

- iPod control
- Bluetooth BLT433 unit compatible
- CD changer
- TEL LINK: Control telephone handsfree
  (TEL-002 or AUX input)
- TV tuner
- DVD changer
- DAB digital radio tuner

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

clarion
CAR AUDIO & BEYOND

DXZ558RMP

Smart Control for best convenience

RADIO / CD / MC

- RDS-Tuner (FM/MW/LW)
- 24 stations memory (18FM / 6AM)
- Auto store, Preset scan, seek manual (up & down)
- CD mechanism
- CD-R / CD-RW play back
- MP3 & WMA compatible
- CD Text / ID-3 tag compatible / Playlist mode
- Title input (50 title / 10 text)

AUDIO

- 4ch RCA line out
  F2ch + R2ch
- Z-ENHANCER PLUS (2 band Parametric EQ)
- Magna BASS EX (50Hz +10dB boost)
- Amp Canceller
- MOS-FET 4 x 52 W high power output

GENERAL

- Aluminum plated panel
- Flip down console
- Pop-up Rotary volume control
- Smart control stick for easy use
- Negative LCD display 13seg x 10 (164seg)
- 80 variable colour (display + keys)
- Screen saver, Wallpaper
- Message information (30 text)
- Contrast adjustment
- Dimmer
- AUX input (2ch with sense adjustment)
- Cellular audio input
- Remote control included (RCB-172)
- Blinking LED

Ce-NET Control

- iPod control
- Bluetooth BLT433 unit compatible
- CD changer
- TEL LINK: Control telephone handsfree
  (TEL-002 or AUX input)
- TV tuner
- DVD changer
- DAB digital radio tuner

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

Clarion
CAR AUDIO & BEYOND

DB458RMC

MusicCatcher | CD-R/RW | MP3 ID3 TAG | WMA TAG | Rotary Volume Control | DCP | ENHANCER | M-BASS EX | 2ch output | 52W×4 HIGH POWER | OEM Remote ready | Remote Control Ready

Music Catcher, the ultimate car audio solution

MUSIC CATCHER

- Music Catcher for recording audio CD's
  64MB built in memory with 2 recording mode
  - HQ (High Quality) mode: about 130 minutes
  - LP (Long Play) mode: about 173 minutes
  -Easy file management (Recording, Erasing,...)
- Music Catcher enable to store the equivalent of 3 audio CD's

AUDIO

- Rear 2ch RCA line out
- Z-ENHANCER equalizer
- Magna BASS EX (50Hz +10dB boost)
- 4 x 52 W high power output

RADIO / CD

- RDS-Tuner (FM/MW/LW)
- 24 stations memory (18FM / 6AM)
- Auto store, Preset scan, seek manual (up & down)
- CD mechanism
- 1 Bit DAC, 8x Oversampling
- CD-R / CD-RW play back
- MP3 & WMA compatible
- CD Text / ID-3 tag compatible / Playlist mode
- Title input (50 title / 10 text)

GENERAL

- Aluminum plated panel
- Rotary volume control
- Negative LCD display 13seg x 10 (164seg)
- White-Blue keys illumination
- Screen saver
- Message information (30 text)
- Dimmer
- Phone interrupt
- Optional remote control (RCB-172)

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

Clarion
CAR AUDIO & BEYOND

DB358RMP

MP3 high-grade unit

RADIO

- RDS-Tuner (FM/MW/LW)
- RDS / PTY
- 24 stations memory (18FM / 6AM)
- Auto store
- Preset scan
- Seek manual (up & down)

AUDIO

- Rear 2ch RCA line out
- Z-ENHANCER equalizer
- Magna BASS EX (50Hz +10dB boost)
- 4 x 51 W high power output

CD

- CD mechanism
- 1 Bit DAC, 8x Oversampling
- CD-R / CD-RW play back
- Auto CD reload
- MP3 compatible
- ID-3 tag compatible / Playlist mode

GENERAL

- Aluminum plated panel
- Rotary volume control
- Negative LCD display 13seg x 8 (139seg)
- White-Blue keys illumination
- Screen saver
- Dimmer
- Phone interrupt
- Optional remote control (RCB-172)

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

BD359RMP

MP3 high-grade unit (amber illumination)

RADIO

- RDS-Tuner (FM/MW/LW)
- RDS / PTY
- 24 stations memory (18FM / 6AM)
- Auto store
- Preset scan
- Seek manual (up & down)

AUDIO

- Rear 2ch RCA line out
- Z-ENHANCER equalizer
- Magna BASS EX (50Hz +10dB boost)
- 4 x 51 W high power output

CD

- CD mechanism
- 1 Bit DAC, 8x Oversampling
- CD-R / CD-RW play back
- Auto CD reload
- MP3 compatible
- ID-3 tag compatible / Playlist mode

GENERAL

- Aluminum plated panel
- Rotary volume control
- Negative amber display
- LCD display 13seg x 8 (139seg)
- Amber keys illumination
- Screen saver
- Dimmer
- Phone interrupt
- Remote control option (RCB-172)

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

Clarion
CAR AUDIO & BEYOND

BD359RGMP

MP3 high-grade unit (green illumination)

RADIO

- RDS-Tuner (FM/MW/LW)
- RDS / PTY
- 24 stations memory (18FM / 6AM)
- Auto store
- Preset scan
- Seek manual (up & down)

AUDIO

- Rear 2ch RCA line out
- Z-ENHANCER equalizer
- Magna BASS EX (50Hz +10dB boost)
- 4 x 51 W high power output

CD

- CD mechanism
- 1 Bit DAC, 8x Oversampling
- CD-R / CD-RW play back
- Auto CD reload
- MP3 compatible
- ID-3 tag compatible / Playlist mode

GENERAL

- Aluminum plated panel
- Rotary volume control
- Negative green display
- LCD display 13seg x 8 (139seg)
- Green keys illumination
- Screen saver
- Dimmer
- Phone interrupt
- Remote control option (RCB-172)

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

DB258R

High-grade unit with large display

RADIO

- RDS-Tuner (FM/MW/LW)
- RDS / PTY
- 24 stations memory (18FM / 6AM)
- Auto store
- Preset scan
- Seek manual (up & down)

AUDIO

- Rear 2ch RCA line out
- Z-ENHANCER equalizer
- Magna BASS EX (50Hz +10dB boost)
- 4 x 51 W high power output

CD

- CD mechanism
- 1 Bit DAC, 8x Oversampling
- CD-R / CD-RW play back
- Auto CD reload
- Track Repeat
- Intro Music Scan
- Ramdom play

GENERAL

- Aluminum plated panel
- Flip Down console
- Rotary volume control
- Negative LCD display
  13seg x 8 (161seg)
  Running indicator
- White-Blue keys illumination
- Screen saver
- Dimmer
- Phone interrupt

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

Clarion
CAR AUDIO & BEYOND

DB158R

Entry CD combination (blue illumination)

RADIO

- RDS-Tuner (FM/MW/LW)
- RDS / PTY
- 24 stations memory (18FM / 6AM)
- Auto store
- Preset scan
- Seek manual (up & down)

AUDIO

- Rear 2ch RCA line out
- Z-ENHANCER equalizer
- Magna BASS EX (50Hz +10dB boost)
- 4 x 50 W high power output

CD

- CD mechanism
- 1 Bit DAC, 8x Oversampling
- CD-R / CD-RW play back
- Auto CD reload
- Track Repeat
- Intro Music Scan
- Ramdom play

GENERAL

- Aluminum painted panel
- Rotary volume control
- Negative blue display
- LCD display 13seg x 8 (137seg)
- White-Blue keys illumination
- Screen saver
- Dimmer
- Phone interrupt

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

Clarion
CAR AUDIO & BEYOND

DB158RB

RDS | CD-R/RW | Rotary Volume Control | DCP | DCP | ENHANCER | M-BASS EX | 2ch output

Entry CD combination (blue - red illumination)

RADIO

- RDS-Tuner (FM/MW/LW)
- RDS / PTY
- 24 stations memory (18FM / 6AM)
- Auto store
- Preset scan
- Seek manual (up & down)

AUDIO

- Rear 2ch RCA line out
- Z-ENHANCER equalizer
- Magna BASS EX (50Hz +10dB boost)
- 4 x 50 W high power output

CD

- CD mechanism
- 1 Bit DAC, 8x Oversampling
- CD-R / CD-RW play back
- Auto CD reload
- Track Repeat
- Intro Music Scan
- Ramdom play

GENERAL

- Aluminum painted panel
- Rotary volume control
- Positive blue display
- LCD display 13seg x 8 (137seg)
- Red keys illumination
- Screen saver
- Dimmer
- Phone interrupt

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

BD159R

Entry CD combination (amber illumination)

RADIO

- RDS-Tuner (FM/MW/LW)
- RDS / PTY
- 24 stations memory (18FM / 6AM)
- Auto store
- Preset scan
- Seek manual (up & down)

AUDIO

- Rear 2ch RCA line out
- Z-ENHANCER equalizer
- Magna BASS EX (50Hz +10dB boost)
- 4 x 50 W high power output

CD

- CD mechanism
- 1 Bit DAC, 8x Oversampling
- CD-R / CD-RW play back
- Auto CD reload
- Track Repeat
- Intro Music Scan
- Ramdom play

GENERAL

- Aluminum painted panel
- Rotary volume control
- Negative amber display
- LCD display 13seg x 8 (137seg)
- Amber keys illumination
- Screen saver
- Dimmer
- Phone interrupt

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com /marketing@clarion-eu.com

BD159RG

Entry CD combination (green illumination)

RADIO

- RDS-Tuner (FM/MW/LW)
- RDS / PTY
- 24 stations memory (18FM / 6AM)
- Auto store
- Preset scan
- Seek manual (up & down)

AUDIO

- Rear 2ch RCA line out
- Z-ENHANCER equalizer
- Magna BASS EX (50Hz +10dB boost)
- 4 x 50 W high power output

CD

- CD mechanism
- 1 Bit DAC, 8x Oversampling
- CD-R / CD-RW play back
- Auto CD reload
- Track Repeat
- Intro Music Scan
- Ramdom play

GENERAL

- Aluminum painted panel
- Rotary volume control
- Negative green display
- LCD display 13seg x 8 (137seg)
- Green keys illumination
- Screen saver
- Dimmer
- Phone interrupt

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0) 1 46 35 49 00 / www.clarion-eu.com / marketing@clarion-eu.com

OHM1053

10”Overhead flip down monitor

FUNCTIONS

- 10’’ TFT active matrix LCD monitor
- **Premium quality LCD panel**
- 4:3 and 16:9 screen format compatible
- **Swivel mechanism** (left & right)
- **Picture in Picture** (3 zoom levels, 4 positions plus main /sub screen swap function)
- **Split Screen** function :
  - ✓ Allows different video sources playback on R & L side of monitor (with swap function)
- Picture control : contrast, brightness, color, tint (NTSC format), dimmer & reset
- 2 RCA composite video and audio inputs with convenient game port (external auxiliary input).
- 2 additional RCA composite video and audio inputs (w. optional cables)
- 1 RCA composite video output
- Buit-in dual channel IR audio output transmitter
  - ✓ Allows separate A/B channels reception in headphones when using split screen function (WH253H required).
- FM modulator control cable (for optional FM201)
- Remote control
- Universal roof mount
- Dome lights

TECHNICAL SPECIFICATIONS

- Video system : PAL/NTSC
- Screen resolution : 384.000 pixels (800 horizontal x 480 vertical dots)
- Power requirements : 12V DC (10V to 16V)
- Max. current consumption : <2.0 A
- Current consumption : < 800 mA
- Operating temperature : -20°C up to + 70°C
- Dimensions (W x D x H) : 248 x 233 x 52 mm
- Weight : 1,49kg

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0)1 46 35 49 00 / www.clarion-eu.com / e-mail : marketing@clarion-eu.com

OHM758VD

7”Overhead flip down monitor with built-in DVD player

FUNCTIONS

- DVD/CD/CD-R/MP3 playback compatibility
- 7’’ TFT active matrix LCD monitor
- **Premium quality LCD panel.**
- 4:3 and 16:9 screen format compatible
- Picture control : contrast, brightness, color, tint (NTSC format) & reset
- 1 RCA composite video and audio input :
  - ✓ Additional input provides extra convenience for external devices connection (video games, camcorder …)
  - ✓ Complete cables set including convenient game port (external auxiliary input).
- 1 RCA composite video output
- Buit-in IR audio output transmitter
  - ✓ Enables reception of audio signal through optional wireless headphones (WH143H).
- FM modulator control cable (for optional FM201)
- Remote control
- Universal roof mount
- Dome lights

TECHNICAL SPECIFICATIONS

- Video system : PAL/NTSC
- Screen resolution : 336.960 pixels (1440 horizontal x 234 vertical dots)
- Power requirements : 12V DC (10V to 16V)
- Max. current consumption : <2.0 A
- Current consumption : 1.8 A
- Operating temperature : 0°C up to + 70°C
- Dimensions (W x D x H) : 227 x 185 x 58 mm
- Weight : 2.35 kg

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0)1 46 35 49 00 / www.clarion-eu.com / e-mail : marketing@clarion-eu.com

VMA754

RGB

7" Stand alone RGB wide monitor

FUNCTIONS

- 7'' TFT colour monitor.
- **Premium quality LCD panel.**
- 4:3 and 16:9 screen format compatible.
- Picture control : contrast, brightness, color, tint (NTSC format) & reset.
- 1 RCA composite video input.
- 1 RGB navigation input.
- Buit-in speaker for navigation announcements.
- Built-in IR remote receiver and output lead (compatible with navigation unit and/or DVD player).
- Quick release connector.
- Mounting stand.

TECHNICAL SPECIFICATIONS

- Video system : PAL/NTSC
- Screen resolution : 336.960 pixels (1440 horizontal x 234 vertical dots)
- Power requirements : 12V DC (10V to 16V)
- Max. current consumption : < 2.0 A
- Standby current consumption : < 2 mA
- Operating temperature : 0° up to + 60°C
- Dimensions (W x D x H) : 183 x 29 x 128 mm
- Weight : 0,45kg

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0)1 46 35 49 00 / www.clarion-eu.com / e-mail : marketing@clarion-eu.com

VMA753

7” Headrest / Stand alone wide monitor

FUNCTIONS

- 7’’ TFT colour monitor.
- **Premium quality LCD panel.**
- 4:3 and 16:9 screen format compatible.
- Picture control : contrast, brightness, color, tint (NTSC format) & reset.
- 2 RCA composite video and audio inputs :
  - ✓ Additional inputs provide extra convenience for external devices connection (video games, camcorder …)
  - ✓ Complete cables set including convenient game port (external auxiliary input).
- Buit-in dual channel IR audio output transmitter
  - ✓ Enables reception of audio signal through optional wireless headphones (WH143H or WH253H).
  - ✓ Allows separate A/B channels reception in headphones on systems using two monitors (WH253H required on such configuration).
- Built-in IR remote receiver and output lead (VS738 compatible).
- Quick release connector.
- Universal headrest mounting bracket.

TECHNICAL SPECIFICATIONS

- Video system : PAL/NTSC
- Screen resolution : 336.960 pixels (1440 horizontal x 234 vertical dots)
- Power requirements : 12V DC (10V to 16V)
- Max. current consumption : < 2.0 A
- Standby current consumption : < 2 mA
- Operating temperature : 0° up to + 60°C
- Dimensions (W x D x H) : 183 x 29 x 128 mm
- Weight : 0,45kg

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0)1 46 35 49 00 / www.clarion-eu.com / e-mail : marketing@clarion-eu.com

VMA553

5.8” Headrest / Stand alone wide monitor

FUNCTIONS

- 5.8” TFT colour monitor.
- **Premium quality LCD panel.**
- 4:3 and 16:9 screen format compatible.
- Picture control : contrast, brightness, color, tint (NTSC format) & reset.
- 2 RCA composite video and audio inputs :
  - ✓ Additional inputs provide extra convenience for external devices connection (video games, camcorder …)
  - ✓ Complete cables set including convenient game port (external auxiliary input).
- Buit-in dual channel IR audio output transmitter
  - ✓ Enables reception of audio signal through optional wireless headphones (WH143H or WH253H).
  - ✓ Allows separate A/B channels reception in headphones on systems using two monitors (WH253H required on such configuration).
- Built-in IR remote receiver and output lead (VS738 compatible).
- Quick release connector.
- Universal headrest mounting bracket.

TECHNICAL SPECIFICATIONS

- Video system : PAL/NTSC
- Screen resolution : 288.800 pixels (1200 horizontal x 234 vertical dots)
- Power requirements : 12V DC (10V to 16V)
- Max. current consumption : < 2.0 A
- Standby current consumption : < 2 mA
- Operating temperature : 0° up to + 60°C
- Dimensions (W x D x H) : 161 x 29 x 115 mm
- Weight : 0,35kg

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0)1 46 35 49 00 / www.clarion-eu.com / e-mail : marketing@clarion-eu.com

WH143H - WH253H

Single and dual channel infrared wireless headphones

FUNCTIONS

- WH143 : IR wireless headphones system
  - ✓ 2 headphones plus transmitter
  - ✓ to be used with monitors NOT featuring built-in IR audio transmitter.
- WH143H : single channel IR wireless headphone
  - ✓ to be used with OHM758VD, VMA753 (one monitor configuration) & VMA553 (one monitor configuration).
- WH243H : dual channel IR wireless headphone.
  - ✓ to be used with OHM1053, VMA753 (two monitors configuration) & VMA553 (two monitors configuration).
- Suitable for adults and kids
- Auto Power Off function
  - ✓ turns off automatically when no signal is received for 30sec.

TECHNICAL SPECIFICATIONS

- Type : Open air dynamic
- Drive unit : 40mm Mylar cone
- Impedance : 32 Ω ± 6.4 Ω
- Frequency response : 20 Hz -23 KHz
- S.P.L. : 98 dB/nom
- Distortion : 1% THD
- Infrared wavelength : 845mm ± 5mm
- Modulation : High frequency modulation
- Carrier frequency
  - ✓ CH A : R 2.8MHz, L 2.3MHz
  - ✓ CH B (WH253H) : R 3.8MHz, L 3.2MHz
- Power requirements : 3V (1.5 V AAA x 2)
- Battery life (10mv output) : about 48 hours
- Weight : about 170 g (exclude batteries)
- Effective range : about 7 meters

Clarion France - Product Planning Europe - 26, rue de l'Industrie - 92400 Courbevoie - FRANCE
Tel.: +33 (0)1 46 35 49 00 / www.clarion-eu.com / e-mail : marketing@clarion-eu.com